

## 4. NOISE LEVEL

(1) Sound power level

Model SRF25ZS-W


(Indoor unit)

Model	SRF25ZS-W	
Noise Level	Cooling	50 dB(A)
	Heating	51 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Rated capacity value (Hi)
------	---------------------------


× ..... Cooling    ○ — Heating



(Outdoor unit)

Model	SRC25ZS-W2	
Noise Level	Cooling	59 dB(A)
	Heating	60 dB(A)

× ..... Cooling    ○ — Heating



**Model SRF35ZS-W**


(Indoor unit)

Model	SRF35ZS-W	
Noise Level	Cooling	51 dB(A)
	Heating	52 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Rated capacity value (Hi)
------	---------------------------


× ..... Cooling    ○ — Heating



(Outdoor unit)

Model	SRC35ZS-W2	
Noise Level	Cooling	63 dB(A)
	Heating	64 dB(A)

× ..... Cooling    ○ — Heating



**Model SRF50ZSX-W**


(Indoor unit)

Model	SRF50ZSX-W	
Noise Level	Cooling	58 dB(A)
	Heating	58 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Rated capacity value (Hi)
------	---------------------------


× ..... Cooling    ○ — Heating



(Outdoor unit)

Model	SRC50ZSX-W2	
Noise Level	Cooling	63 dB(A)
	Heating	62 dB(A)

× ..... Cooling    ○ — Heating



**(2) Sound pressure level**  
**(a) Rated capacity value (Hi)**  
**Model SRF25ZS-W**


(Indoor unit)

Model	SRF25ZS-W	
Noise Level	Cooling	38 dB(A)
	Heating	39 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Rated capacity value (Hi)
------	---------------------------

● Mike position



× ..... Cooling, ○ — Heating




(Outdoor unit)

Model	SRC25ZS-W2	
Noise Level	Cooling	45 dB(A)
	Heating	47 dB(A)

● Mike position: at highest noise level in position as mentioned below  
 Distance from front side 1m

× ..... Cooling, ○ — Heating




**Model SRF35ZS-W**

Condition	ISO5151 T1/H1
MODE	Rated capacity value (Hi)


(Indoor unit)

Model	SRF35ZS-W	
Noise Level	Cooling	40 dB(A)
	Heating	41 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




(Outdoor unit)

Model	SRC35ZS-W2	
Noise Level	Cooling	50 dB(A)
	Heating	51 dB(A)

●Mike position: at highest noise level in position as mentioned below  
Distance from front side 1m

× ..... Cooling, ○ — Heating



**Model SRF50ZSX-W**


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Rated capacity value (Hi)
------	---------------------------


(Indoor unit)

Model	SRF50ZSX-W	
Noise Level	Cooling	46 dB(A)
	Heating	46 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




(Outdoor unit)

Model	SRC50ZSX-W2	
Noise Level	Cooling	51 dB(A)
	Heating	51 dB(A)

●Mike position: at highest noise level in position as mentioned below  
Distance from front side 1m

× ..... Cooling, ○ — Heating



**(b)Each fan speed mode  
Model SRF25ZS-W**


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Me
------	----


(Indoor unit)

Model	SRF25ZS-W	
Noise Level	Cooling	32 dB(A)
	Heating	35 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




Condition	ISO5151 T1/H1
-----------	---------------

MODE	Lo
------	----


(Indoor unit)

Model	SRF25ZS-W	
Noise Level	Cooling	29 dB(A)
	Heating	33 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




(Indoor unit)

Model	SRF25ZS-W	
Noise Level	Cooling	25 dB(A)
	Heating	29 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	ULo
------	-----

●Mike position



× ..... Cooling, ○ — Heating




(Outdoor unit)

Model	SRC25ZS-W2	
Noise Level	Cooling	41 dB(A)
	Heating	42 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Silent
------	--------

× ..... Cooling, ○ — Heating





Model SRF35ZS-W


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Me
------	----


(Indoor unit)

Model	SRF35ZS-W	
Noise Level	Cooling	35 dB(A)
	Heating	36 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




Condition	ISO5151 T1/H1
-----------	---------------

MODE	Lo
------	----


(Indoor unit)

Model	SRF35ZS-W	
Noise Level	Cooling	33 dB(A)
	Heating	35 dB(A)

●Mike position



× ..... Cooling, ○ — Heating




(Indoor unit)

Model	SRF35ZS-W	
Noise Level	Cooling	29 dB(A)
	Heating	33 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	ULo
------	-----

●Mike position



× ..... Cooling, ○ — Heating




(Outdoor unit)

Model	SRC35ZS-W2	
Noise Level	Cooling	44 dB(A)
	Heating	43 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Silent
------	--------

× ..... Cooling, ○ — Heating



**Model SRF50ZSX-W**


(Indoor unit)

Model	SRF50ZSX-W	
Noise Level	Cooling	38 dB(A)
	Heating	41 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Me
------	----

●Mike position



× ..... Cooling, ○ — Heating




(Indoor unit)

Model	SRF50ZSX-W	
Noise Level	Cooling	33 dB(A)
	Heating	38 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	Lo
------	----

●Mike position



× ..... Cooling, ○ — Heating




(Indoor unit)

Model	SRF50ZSX-W	
Noise Level	Cooling	28 dB(A)
	Heating	32 dB(A)


Condition	ISO5151 T1/H1
-----------	---------------

MODE	ULo
------	-----

●Mike position



× ..... Cooling, ○ — Heating



(Outdoor unit)

Model	SRC50ZSX-W2	
Noise Level	Cooling	42 dB(A)
	Heating	43 dB(A)

Condition	ISO5151 T1/H1
-----------	---------------

MODE	Silent
------	--------

× ..... Cooling, ○ — Heating

